

1 5. A dental delivery tool as recited in claim 1, wherein the delivery tool
2 comprises a delivery tip.

3
4 6. A dental delivery tool as recited in claim 5, wherein the delivery tip is adapted
5 for attachment to a syringe.

6
7 7. A dental delivery tool as recited in claim 1, wherein the delivery tool
8 comprises an endodontic irrigator.

9
10 8. A dental delivery tool as recited in claim 1, wherein the delivery tool
11 comprises a dental applicator.

12
13 9. A dental delivery tool as recited in claim 1, wherein at least a portion of the
14 hollow body is curved.

15
16 10. A dental delivery tool as recited in claim 1, wherein at least a portion of the
17 hollow body is rigid.

18
19 11. A dental delivery tool as recited in claim 1, wherein the fibers are deposited
20 onto the hollow body by electrostatic flocking.

21
22 12. A dental delivery tool as recited in claim 1, wherein the distance "D" is at
23 least about three times greater than the length "L".

24
25 13. A dental delivery tool as recited in claim 1, wherein the distance "D" is at
26 least about four times greater than the length "L".

1
2
3
4
5
6

14. A dental delivery tool as recited in claim 1, wherein the distance "D" is at least about five times greater than the length "L".

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

1 19. A dental delivery tool as recited in claim 15, wherein the fibers are deposited
2 onto the hollow body by electrostatic flocking.

3
4 20. A dental delivery tool as recited in claim 15, wherein the distance "D" is at
5 least about three times greater than the length "L".

6
7 21. A dental delivery tool as recited in claim 15, wherein the distance "D" is at
8 least about four times greater than the length "L".

9
10 22. A dental delivery tool as recited in claim 15, wherein the distance "D" is at
11 least about five times greater than the length "L".

23. A method for manufacturing a dental delivery tool sized and configured for delivery of a dental composition to a dental preparation, the method comprising:

providing an elongate hollow body configured for delivery of a dental composition therefrom, the elongate hollow body having a proximal receiving end, a distal delivery end and a passageway communicating therebetween, the distal delivery end having a rim and a wall; and

coupling a plurality of fibers onto at least a portion of the elongate hollow body in a manner so that a portion of the fibers extend a length "L" distally beyond the rim of the hollow body and a portion of the fibers are coupled along the wall a distance "D" proximally with respect to the rim,

wherein the distance "D" is at least about two and one half times greater than the length "L".

24. A method as recited in claim 23, wherein the fibers are deposited onto the cannula through electrostatic flocking.

25. A dental delivery tool as recited in claim 23, wherein the distance "D" is at least about three times greater than the length "L".

26. A dental delivery tool as recited in claim 23, wherein the distance "D" is at least about four times greater than the length "L".

27. A dental delivery tool as recited in claim 23, wherein the distance "D" is at least about five times greater than the length "L".